

5. FIRE-FIGHTING MEASURES

- This paint is NOT flammable but the dry residue is combustible.
- Expect no direct explosion hazard. Use CO₂, dry powder or foam.

6. ACCIDENTAL RELEASE MEASURES-also see sections 5.8 and 13

- Personal Precautions** : Ventilate the area. Avoid breathing in vapours.
Spill : Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.

7. HANDLING AND STORAGE- General This is an Inert with no special requirements for hazard Containment

- Handling** : Keep container tightly closed. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. After handling the material, workers should wash hands and face before eating, drinking and smoking. Always comply with health and safety regulations.
- Storage** : Store in original container. Observe label precautions. Store in a cool, well-ventilated area away from incompatible materials and ignition sources. Keep away from oxidizing agents, strong alkaline and acids. No smoking. Containers which have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

- SAPMA Rating** : 2-H-C PPE – eye protection / respirator
Personal Protective Equipment :
Respiration : Should ventilation be inadequate or if workers are exposed to concentrations above the exposure limit, appropriate certified respirators must be used.
- Eyes** : Use safety eyewear designed to protect against splash of liquids. Never touch eyes with dirty hands or gloves.
- Ingestion** : Observe the rules of hygiene. Wash hands and face before eating, drinking or smoking.
- Skin** : Use protective gloves. Wash in case of contact.



9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Opaque Liquid
Flash Point (° Celsius) : 37° Celsius
Dilution/Wash up : Water
Density : Varies 0.8-1.20
pH : 45 seconds ford cup

10. STABILTY AND REACTIVITY

- Stability** : Stable under recommended storage and handling conditions.
Conditions to Avoid : Excessive heat – store below 30° Celsius.
Materials to Avoid : Oxidizing agents, strong alkaline or acidic materials.

11. TOXICOLOGICAL INFORMATION

- No records of chronic effects found.

12. ECOLOGICAL INFORMATION

- Product is considered a water pollutant. Do not allow to enter drains or watercourses.

13. DISPOSAL CONSIDERATIONS

- Do not allow to enter drains or watercourses.
- Dispose of according to national and local applicable regulations.
- Empty containers are suitable for recycling, but caution must be exercised in the disposal of used containers.

14. TRANSPORT INFORMATION

SIN/UN Number : 1263
Shipping Name : Paint
Packaging Group : III
Class : 3.2



15. REGULATORY INFORMATION

Classification : Harmful, Xn
R10 : Flammable.
R20/21 : Harmful by inhalation and contact with the skin.
R65 : May be harmful if swallowed.
S2 : Keep out of reach of children.
S13 : Keep away from food, drink and animal feed stuffs.
S43 : In case of fire, use fog, foam or powder - **Do Not use water jets**
S62 : If swallowed, do not induce vomiting but seek medical advice immediately.

16. OTHER INFORMATION

Date of Printing : November 2016
Date of Issue : November 2016
Revision : 3
Notice : Take precautionary measures against static discharges.
In case of any discomfort always seek medical advice.
The information in this SDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under Section 1. without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties. No responsibility is accepted for errors or omissions or the consequences thereof.